

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

rinting date 17.06.2	015 Version number 4	Revision: 17.06.2015
SECTION 1: Ide	ntification of the substance/mixture and of the company	y/undertaking
· 1.1 Product iden		
	avy Duty Floor Cleaner	
• Article number:		
	ntified uses of the substance or mixture and uses advis	sed against
· Sector of Use Cl	eaning industry	
	y PC35 Washing and cleaning products (including solvent	based products)
	e substance / the mixture Heavy Duty Floor Cleaner	
<ul> <li>1.3 Details of the Manufacturer/Su</li> </ul>	e supplier of the safety data sheet	
Craftex Cleaning		
Greenstalls Park,		
Ilchester, Somers		
	<i>ion obtainable from:</i> Product safety department. <i>elephone number:</i> 01935 842509	
SECTION 2: Haz	ards identification	
· 2.1 Classificatio	n of the substance or mixture	
· Classification a	ccording to Regulation (EC) No 1272/2008	
P		
GHS 🥐	05 corrosion	
	Causes severe skin burns and eye damage.	
Eye Dam. 1 H	18 Causes serious eye damage.	
· 2.2 Label eleme		
	ding to Regulation (EC) No 1272/2008 assified and labelled according to the CLP regulation.	
· Hazard pictogra		
$\mathbf{\wedge}$		
P		
GHS05		
<ul> <li>Signal word Dar</li> </ul>	ger	
	ning components of labelling:	
	enediaminetetraacetate icate pentahydrate	
	VOSE, OLIGOMERS, 2-ETHYLHEXYL GLYCOSIDES	
· Hazard stateme		
	vere skin burns and eye damage.	
<ul> <li>Precautionary s P101</li> </ul>	If medical advice is needed, have product container or lab	bel at hand.
P102	Keep out of reach of children.	
P103	Read label before use.	
P260 P303+P361+P35	Do not breathe dust/fume/gas/mist/vapours/spray. 3 IF ON SKIN (or hair): Remove/Take off immediately al	Il contaminated clothing Rinse skin with water
	shower.	a containinated of thing. This of the will watch
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minu	utes. Remove contact lenses, if present and easy
P310	to do. Continue rinsing. Immediately call a POISON CENTER/doctor.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/reg	gional/national/international regulations.
· Additional infor		
Keep out of the r • 2.3 Other hazard		
· Results of PBT	and vPvB assessment	
. DDT. Not applied	ble.	
<ul> <li>• PBT: Not applica</li> </ul>		(Contd. on page 2)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

(Contd. of page 1)

Trade name: Heavy Duty Floor Cleaner

· vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compo	nents:	
	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-10%
CAS: 64-02-8 EINECS: 200-573-9	tetrasodium ethylenediaminetetraacetate	2.5-10%
CAS: 10213-79-3 EINECS: 229-912-9	disodium trioxosilicate pentahydrate ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; STOT SE 3, H335	2.5-10%
NLP: 500-529-1	D-GLUCOPYRANOSE, OLIGOMERS, 2-ETHYLHEXYL GLYCOSIDES	2.5-10%
CAS: 1300-72-7 EINECS: 215-090-9	sodium xylenesulphonate ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤ 2.5%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide	≤ 2.5%
· Regulation (EC) No	648/2004 on detergents / Labelling for contents	
non-ionic surfactants		5 - 15%
EDTA and salts thereof, anionic surfactants		< 5%
· Additional information	tion: For the wording of the listed risk phrases refer to section 16.	·

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
   After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

(Contd. of page 2)

Trade name: Heavy Duty Floor Cleaner

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm

Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV

#### 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

#### · Ingredients with biological limit values:

- 111-76-2 2-butoxyethanol
- BMGV 240 mmol/mol creatinine
  - Medium: urine
  - Sampling time: post shift
  - Parameter: butoxyacetic acid

• Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

Respiratory protection:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

(Contd. of page 3)

#### Trade name: Heavy Duty Floor Cleaner

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 Penetration time of glove material
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection:



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical a	and chemical properties	
General Information	and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Blue	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 ℃:	13	
•	10	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 ℃	
Flash point:	65 ℃	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	240 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wat		
•		
Viscosity:	Nist data was a si	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	5.0 %	
Solids content:	10.0 %	
9.2 Other information	No further relevant information available.	

(Contd. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

(Contd. of page 4)

Trade name: Heavy Duty Floor Cleaner

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Caustic effect on skin and mucous membranes.
- · Serious eye damage/irritation Strong caustic effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.

· Uncleaned packaging:

- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN3267

(Contd. on page 6)

Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

Trade name: Heavy Duty Floor Cleaner

	(Contd. of page
14.2 UN proper shipping name	
ADR	3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIU
IMDG, IATA	HYDROXIDE, DISODIUM TRIOXOSILICATE) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUI
IMDG, IATA	HYDROXIDE, DISODIUM TRIOXOSILICATE)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
No. Contraction of the second	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	80 F-A.S-B
Segregation groups	Alkalis
14.7 Transport in bulk according to Ann	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L Contact Ed
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml
Transport category	3
Tunnel restriction code	E
IMDG	-
Limited quantities (LQ)	5L Code: E1
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIU
	HYDROXIDE, DISODIUM TRIOXOSILICATE), 8, III

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.

(Contd. on page 7)

GB

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.06.2015

Version number 4

Revision: 17.06.2015

Trade name: Heavy Duty Floor Cleaner

(Contd. of page 6) H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. · Department issuing MSDS: Product safety department. Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods ADR: Accord européen sur le transport des marchandises dangereuses par Rou by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 18: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 11: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3